

# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
Safety data sheet according to Regulation (EC) 2020/878

Revision date 15/06/2023

Revision Number 1.31

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name** RS Pro Contact Cleaner Lubricant

**Product Code(s)** 917-5914, ZP

**Safety data sheet number** 00992

**Unique Formula Identifier (UFI)** 7Y0C-T0TH-3002-3G95

**Pure substance/mixture** Mixture

Contains pentane, Propan-2-ol

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Lubricant

**Uses advised against** No specific uses advised against are identified

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

RS Components Ltd  
Birchington Road  
Corby  
Northants  
NN17 9RS  
+44 (0) 845 850 9900  
RCustomerServicesUK@rs-components.com

RS Components Ltd  
Glenview Industrial Estate  
Herberton Road  
Rialto  
Dublin 12  
+353 (0) 1 415 3100  
enquiries.ie@rs-components.com

For further information, please contact

**E-mail address** RCustomerServicesUK@rs-components.com

### 1.4. Emergency telephone number

**Emergency Telephone** POISON INFORMATION CENTRE (Beaumont Hospital, Republic of Ireland only) +353 (0)1 809 2166 (08:00 - 22:00)

**Emergency Telephone -**

+44 1235 239670 (24hr)

+44 (0) 1865 407333 (24hr)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture**

Regulation (EC) No 1272/2008

<b>Aerosols</b>	Category 1 - (H222, H229)
<b>Specific target organ toxicity — single exposure</b>	Category 3 - (H336)
Category 3 Narcotic effects	
<b>Aspiration hazard</b>	Category 1 - (H304)
<b>Chronic aquatic toxicity</b>	Category 2 - (H411)

**2.2. Label elements**

Contains pentane, Propan-2-ol

**Signal word**

Danger

**Hazard statements**

H222 - Extremely flammable aerosol  
 H229 - Pressurised container: May burst if heated  
 H336 - May cause drowsiness or dizziness  
 H411 - Toxic to aquatic life with long lasting effects  
 EUH066 - Repeated exposure may cause skin dryness or cracking

**Precautionary Statements - EU (§28, 1272/2008)**

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
 P211 - Do not spray on an open flame or other ignition source  
 P251 - Do not pierce or burn, even after use  
 P261 - Avoid breathing spray  
 P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F  
 P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

**2.3. Other hazards**

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable

**3.2 Mixtures**

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
pentane 109-66-0	60-100	01-2119459286-30-00 00	203-692-4	Aquatic Chronic 2 (H411) Asp. Tox. 1 (H304) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Carbon Dioxide 124-38-9	1-5	No data available	204-696-9	Press. Gas (Comp.) (H280)	-	-	-
Propan-2-ol 67-63-0	1-5	01-2119457558-25-00 00	200-661-7	Eye Irrit. 2 (H319) STOT SE 3 (H336) Flam. Liq. 2 (H225)	-	-	-
Octadecyl 3-(3,5-di-tert-butyl-4- hydroxyphenyl)prop ionate 2082-79-3	<0.1	No data available	218-216-0	-	-	-	-
Benzotriazole 95-14-7	<0.1	01-2119979079-20-00 00	202-394-1	Aquatic Chronic 2 (H411) Eye Irrit. 2 (H319) Acute Tox. 4 (H302)	-	-	-
Diphenylamine 122-39-4	<0.1	No data available	204-539-4	Aquatic Chronic 1 (H410) STOT RE 2 (H373) Aquatic Acute 1 (H400) Acute Tox. 3 (H311) Acute Tox. 3 (H301) Acute Tox. 3 (H331)	-	-	-

**Full text of H- and EUH-phrases: see section 16**Acute Toxicity Estimate

No information available

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
pentane 109-66-0	2000	3000	364	No data available	No data available
Propan-2-ol 67-63-0	1870	4059	No data available	30.1002	No data available
Octadecyl 3-(3,5-di-tert-butyl-4-hydr oxyphenyl)propionate 2082-79-3	5000	2000	No data available	No data available	No data available
Benzotriazole 95-14-7	560	10000	1.4325	No data available	No data available
Diphenylamine 122-39-4	1120	2000	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration  $\geq 0.1\%$  (Regulation (EC) No. 1907/2006 (REACH), Article 59)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.
<b>Inhalation</b>	Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed pulmonary edema may occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
<b>Skin contact</b>	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

### 4.2. Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
-----------------	--

### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	DO NOT EXTINGUISH A LEAKING GAS FIRE UNLESS LEAK CAN BE STOPPED.

**5.2. Special hazards arising from the substance or mixture**

**Specific hazards arising from the chemical** Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Cylinders may rupture under extreme heat. Damaged cylinders should be handled only by specialists. Containers may explode when heated.

**5.3. Advice for firefighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges. Avoid breathing dust/fume/gas/mist/vapours/spray.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

**6.3. Methods and material for containment and cleaning up**

**Methods for containment** Keep out of drains, sewers, ditches and waterways. Stop leak if you can do it without risk. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Flood with water to complete polymerization and scrape off floor.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

**6.4. Reference to other sections**

**Reference to other sections** See section 8 for more information. See section 13 for more information.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

**Advice on safe handling** Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Use spark-proof tools and explosion-proof equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Keep in an area equipped with sprinklers. Do not puncture or incinerate cans. Contents under pressure. In case of rupture. Avoid contact with skin and eyes. Avoid breathing vapours or mists.

Handle in accordance with good industrial hygiene and safety practice. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Protect from sunlight. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store in a cool, dry area away from potential sources of heat, open flames, sunlight or other chemicals. Store locked up. Keep out of the reach of children. Store away from other materials.

### 7.3. Specific end use(s)

**Risk Management Methods (RMM)** The information required is contained in this Safety Data Sheet.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

**Exposure Limits** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 600 ppm TWA: 1800 mg/m <sup>3</sup> STEL 1200 ppm STEL 3600 mg/m <sup>3</sup>	TWA: 600 ppm TWA: 1800 mg/m <sup>3</sup> STEL: 750 ppm STEL: 2250 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000.0 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL 10000 ppm STEL 18000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9131 mg/m <sup>3</sup> STEL: 30000 ppm STEL: 54784 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	-	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL 800 ppm STEL 2000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	STEL: 1225.0 mg/m <sup>3</sup> TWA: 980.0 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>
Diphenylamine 122-39-4	-	TWA: 0.7 ppm TWA: 5 mg/m <sup>3</sup> STEL 1.4 ppm STEL 10 mg/m <sup>3</sup> H*	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 2000 mg/m <sup>3</sup> Ceiling: 4500 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1500 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1500 mg/m <sup>3</sup> STEL: 630 ppm STEL: 1900 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup> Ceiling: 45000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9100 mg/m <sup>3</sup>
Propan-2-ol	-	TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 150 ppm	TWA: 200 ppm

67-63-0		Ceiling: 1000 mg/m <sup>3</sup> D*	TWA: 490 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup> STEL: 250 ppm STEL: 600 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>
Diphenylamine 122-39-4	-	TWA: 10 mg/m <sup>3</sup> Ceiling: 20 mg/m <sup>3</sup> D*	TWA: 5 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>France</b>	<b>Germany TRGS</b>	<b>Germany DFG</b>	<b>Greece</b>	<b>Hungary</b>
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup> Peak: 2000 ppm Peak: 6000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 2950 mg/m <sup>3</sup> STEL: 1000 ppm STEL: 2950 mg/m <sup>3</sup>	TWA: 2950 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9100 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9100 mg/m <sup>3</sup> Peak: 10000 ppm Peak: 18200 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 5000 ppm STEL: 54000 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Peak: 400 ppm Peak: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	TWA: 500 mg/m <sup>3</sup> STEL: 1000 mg/m <sup>3</sup> b*
Octadecyl 3-(3,5-di-tert-butyl-4-hydr oxyphenyl)propionate 2082-79-3	-	TWA: 20 mg/m <sup>3</sup>	TWA: 20 mg/m <sup>3</sup> Peak: 40 mg/m <sup>3</sup>	-	-
Benzotriazole 95-14-7	-	-	*	-	-
Diphenylamine 122-39-4	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> H*	TWA: 5 mg/m <sup>3</sup> Peak: 10 mg/m <sup>3</sup> *	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-
<b>Chemical name</b>	<b>Ireland</b>	<b>Italy MDLPS</b>	<b>Italy AIDII</b>	<b>Latvia</b>	<b>Lithuania</b>
pentane 109-66-0	TWA: 1000 ppm STEL: 3000 ppm	TWA: 667 ppm TWA: 2000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 2951 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup> STEL: 300 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 15000 ppm STEL: 27000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 30000 ppm STEL: 54000 mg/m <sup>3</sup> Simple asphyxiant	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm Sk*	-	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 983 mg/m <sup>3</sup>	TWA: 350 mg/m <sup>3</sup> STEL: 600 mg/m <sup>3</sup>	STEL: 250 ppm STEL: 600 mg/m <sup>3</sup> TWA: 150 ppm TWA: 350 mg/m <sup>3</sup>
Benzotriazole 95-14-7	-	-	-	TWA: 5 mg/m <sup>3</sup>	-
Diphenylamine 122-39-4	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	-	TWA: 10 mg/m <sup>3</sup>	-	STEL: 12 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>
<b>Chemical name</b>	<b>Luxembourg</b>	<b>Malta</b>	<b>Netherlands</b>	<b>Norway</b>	<b>Poland</b>
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1800 mg/m <sup>3</sup>	TWA: 250 ppm TWA: 750 mg/m <sup>3</sup> STEL: 312.5 ppm STEL: 937.5 mg/m <sup>3</sup>	TWA: 3000 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 6250 ppm STEL: 11250 mg/m <sup>3</sup>	STEL: 27000 mg/m <sup>3</sup> TWA: 9000 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	-	-	-	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 150 ppm STEL: 306.25 mg/m <sup>3</sup>	STEL: 1200 mg/m <sup>3</sup> TWA: 900 mg/m <sup>3</sup> skóra*
Diphenylamine	-	-	-	TWA: 5 mg/m <sup>3</sup>	TWA: 8 mg/m <sup>3</sup>

122-39-4				STEL: 10 mg/m <sup>3</sup>	
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
pentane 109-66-0	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup> STEL: 1000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup> STEL: 2000 ppm STEL: 6000 mg/m <sup>3</sup>	TWA: 1000 ppm TWA: 3000 mg/m <sup>3</sup>
Carbon Dioxide 124-38-9	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 30000 ppm	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup> STEL: 10000 ppm STEL: 18000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9150 mg/m <sup>3</sup>
Propan-2-ol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 81 ppm TWA: 200 mg/m <sup>3</sup> STEL: 203 ppm STEL: 500 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>
Octadecyl 3-(3,5-di-tert-butyl-4-hydr oxyphenyl)propionate 2082-79-3	-	-	-	TWA: 20 mg/m <sup>3</sup> STEL: 40 mg/m <sup>3</sup>	-
Diphenylamine 122-39-4	TWA: 10 mg/m <sup>3</sup>	TWA: 4 mg/m <sup>3</sup> STEL: 6 mg/m <sup>3</sup>	-	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup> K*	TWA: 10 mg/m <sup>3</sup>
Chemical name	Sweden		Switzerland	United Kingdom	
pentane 109-66-0	Vägledande KGV: 750 ppm Vägledande KGV: 2000 mg/m <sup>3</sup> NGV: 600 ppm NGV: 1800 mg/m <sup>3</sup>		TWA: 600 ppm TWA: 1800 mg/m <sup>3</sup> STEL: 1200 ppm STEL: 3600 mg/m <sup>3</sup>	TWA: 600 ppm TWA: 1800 mg/m <sup>3</sup> STEL: 1800 ppm STEL: 5400 mg/m <sup>3</sup>	
Carbon Dioxide 124-38-9	Vägledande KGV: 10000 ppm Vägledande KGV: 18000 mg/m <sup>3</sup> NGV: 5000 ppm NGV: 9000 mg/m <sup>3</sup>		TWA: 5000 ppm TWA: 9000 mg/m <sup>3</sup>	TWA: 5000 ppm TWA: 9150 mg/m <sup>3</sup> STEL: 15000 ppm STEL: 27400 mg/m <sup>3</sup>	
Propan-2-ol 67-63-0	Vägledande KGV: 250 ppm Vägledande KGV: 600 mg/m <sup>3</sup> NGV: 150 ppm NGV: 350 mg/m <sup>3</sup>		TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 400 ppm TWA: 999 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup>	
Diphenylamine 122-39-4	Vägledande KGV: 12 mg/m <sup>3</sup> NGV: 4 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> H*	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	

**Biological occupational exposure limits** This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Propan-2-ol 67-63-0	-	-	-	50 mg/L - blood (Acetone) - at the end of the work shift 50 mg/L - urine (Acetone) - at the end of the work shift	-
Diphenylamine 122-39-4	-	10 g/dL Hemoglobin (blood - not provided) 12 g/dL Hemoglobin (blood - not provided) 79 - 97 fL mean corpuscular volume (blood - not provided) 3.2 million/ $\mu$ L Erythrocytes (blood -	-	-	-

		not provided) 3.8 million/ $\mu$ L Erythrocytes (blood - not provided) 4000 Leukocytes/ $\mu$ L (blood - not provided) 13000 Leukocytes/ $\mu$ L (blood - not provided) 130000 Thrombocytes/ $\mu$ L (blood - not provided) 150000 Thrombocytes/ $\mu$ L (blood - not provided) $\leq$ 50 U/l (- Serum transaminases SGOT not provided) $\leq$ 35 U/l (- Serum transaminases SGOT not provided) $\leq$ 50 U/l (- Serum transaminases SGPT not provided) $\leq$ 35 U/l (- Serum transaminases SGPT not provided) $\leq$ 66 U/l (- Serum transaminases GGT not provided) $\leq$ 39 U/l (- Serum transaminases GGT not provided) (urine - one time yearly urine cytological examination)			
Chemical name	Denmark	Finland	France	Germany DFG	Germany TRGS
Propan-2-ol 67-63-0	-	-	-	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift) 25 mg/L - BAT (end of exposure or end of shift) urine 25 mg/L - BAT (end of exposure or end of shift) blood	25 mg/L (whole blood - Acetone end of shift) 25 mg/L (urine - Acetone end of shift)
Chemical name	Hungary	Ireland	Italy MDLPS	Italy AIDII	
Propan-2-ol 67-63-0	-	40 mg/L (urine - Acetone end of shift at end of workweek)	-	40 mg/L - urine (Acetone) - end of shift at end of workweek	
Chemical name	Latvia	Luxembourg	Romania	Slovakia	
Propan-2-ol 67-63-0	-	-	50 mg/L - urine (Acetone) - end of shift	-	

Chemical name	Slovenia	Spain	Switzerland	United Kingdom
Propan-2-ol 67-63-0	25 mg/L - blood (Acetone) - at the end of the work shift 25 mg/L - urine (Acetone) - at the end of the work shift	40 mg/L (urine - Acetone end of workweek)	25 mg/L (urine - Acetone end of shift) 0.4 mmol/L (urine - Acetone end of shift) 25 mg/L (whole blood - Acetone end of shift) 0.4 mmol/L (whole blood - Acetone end of shift)	-

**Derived No Effect Level (DNEL) - Workers** No information available

Chemical name	Oral	Dermal	Inhalation
pentane 109-66-0	-	432 mg/kg bw/day [4] [6]	3000 mg/m <sup>3</sup> [4] [6]
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -butyl- $\omega$ -hydroxy- 9003-13-8	-	0.83 mg/kg bw/day [4] [6]	2.9 mg/m <sup>3</sup> [4] [6]
Propan-2-ol 67-63-0	-	888 mg/kg bw/day [4] [6]	500 mg/m <sup>3</sup> [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	-	0.08 mg/kg bw/day [4] [6]	0.6 mg/m <sup>3</sup> [4] [6]
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)pr opionate 2082-79-3	-	1.28 mg/kg bw/day [4] [6]	3.6 mg/m <sup>3</sup> [4] [6]
Benzotriazole 95-14-7	-	1.08 mg/kg bw/day [4] [6]	19 mg/m <sup>3</sup> [4] [6]

**Derived No Effect Level (DNEL) - General Public** No information available.

Chemical name	Oral	Dermal	Inhalation
pentane 109-66-0	214 mg/kg bw/day [4] [6]	-	643 mg/m <sup>3</sup> [4] [6]
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -butyl- $\omega$ -hydroxy- 9003-13-8	0.42 mg/kg bw/day [4] [6] 2.5 mg/kg bw/day [4] [7]	-	-
Propan-2-ol 67-63-0	26 mg/kg bw/day [4] [6]	-	89 mg/m <sup>3</sup> [4] [6]
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.04 mg/kg bw/day [4] [6]	-	0.14 mg/m <sup>3</sup> [4] [6]
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)pr opionate 2082-79-3	0.64 mg/kg bw/day [4] [6]	-	0.65 mg/m <sup>3</sup> [4] [6]
Benzotriazole 95-14-7	0.54 mg/kg bw/day [4] [6] 0.54 mg/kg bw/day [4] [7]	-	9.55 mg/m <sup>3</sup> [4] [6]

**Predicted No Effect Concentration (PNEC)** No information available.

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
pentane 109-66-0	230 µg/L	880 µg/L	230 µg/L	-	-
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -butyl- $\omega$ -hydroxy- 9003-13-8	0.333 mg/L	3.33 mg/L	0.0333 mg/L	-	-
Propan-2-ol 67-63-0	140.9 mg/L	140.9 mg/L	140.9 mg/L	-	-
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.0338 mg/L	0.51 mg/L	0.00338 mg/L	-	-
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	0.04 mg/L	0.3 mg/L	0.004 mg/L	-	-
Benzotriazole 95-14-7	0.0194 mg/L	0.158 mg/L	0.0194 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
pentane 109-66-0	1.2 mg/kg sediment dw	1.2 mg/kg sediment dw	3600 µg/L	0.55 mg/kg soil dw	-
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -butyl- $\omega$ -hydroxy- 9003-13-8	5.02 mg/kg sediment dw	0.502 mg/kg sediment dw	100 mg/L	0.809 mg/kg soil dw	-
Propan-2-ol 67-63-0	552 mg/kg sediment dw	552 mg/kg sediment dw	2251 mg/L	28 mg/kg soil dw	160 mg/kg food
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene 68411-46-1	0.446 mg/kg sediment dw	0.0446 mg/kg sediment dw	10 mg/L	1.76 mg/kg soil dw	-
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate 2082-79-3	149000 mg/kg sediment dw	14900 mg/kg sediment dw	10 mg/L	29700 mg/kg soil dw	-
Benzotriazole 95-14-7	0.2204 mg/kg sediment dw	0.2204 mg/kg sediment dw	0.1 mg/L	0.03 mg/kg soil dw	-

## 8.2. Exposure controls

### Engineering controls

Ensure adequate ventilation, especially in confined areas.

### Personal protective equipment

#### Eye/face protection

Tight sealing safety goggles. Safety glasses with side shields are recommended for medical or industrial exposures.

#### Hand protection

Impervious gloves.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.
<b>Environmental exposure controls</b>	No information available.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Aerosol
<b>Appearance</b>	Aerosol
<b>Colour</b>	Colourless to pale yellow Straw
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	-48 °C	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	640 cSt @ 20°C	None known
<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Vapour pressure</b>	No data available	None known
<b>Relative density</b>	0.665 @ 20°C/68°F	None known
<b>Bulk density</b>	No data available	
<b>Liquid Density</b>	No data available	
<b>Relative vapour density</b>	No data available	None known
<b>Particle characteristics</b>		
<b>Particle Size</b>	No information available	
<b>Particle Size Distribution</b>	No information available	

### 9.2. Other information

#### 9.2.1. Information with regards to physical hazard classes

Not applicable

Explosive properties Not considered to be explosive

**Oxidising properties** Does not meet the criteria for classification as oxidising

#### 9.2.2. Other safety characteristics

No information available

## SECTION 10: Stability and reactivity

**10.1. Reactivity**

**Reactivity** No information available.

**10.2. Chemical stability**

**Stability** Stable under normal conditions.

**Explosion data**

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** None under normal processing.

**10.4. Conditions to avoid**

**Conditions to avoid** Heat, flames and sparks.

**10.5. Incompatible materials**

**Incompatible materials** None known based on information supplied.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** None known based on information supplied.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available. May cause irritation.
<b>Skin contact</b>	Repeated exposure may cause skin dryness or cracking.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity**

**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	53,430.30 mg/kg
ATEmix (dermal)	3,491.80 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapour)	31.40 mg/l
ATEmix (inhalation-dust/mist)	364.851 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
pentane	> 2000 mg/kg ( Rat )	= 3000 mg/kg ( Rabbit )	= 364 g/m <sup>3</sup> ( Rat ) 4 h
Propan-2-ol	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	> 10000 ppm ( Rat ) 6 h
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 1811 mg/m <sup>3</sup> ( Rat ) 4 h
Benzotriazole	= 560 mg/kg ( Rat )	> 10000 mg/kg ( Rabbit )	= 1910 mg/m <sup>3</sup> ( Rat ) 3 h
Diphenylamine	= 1120 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitisation** No information available.

**Germ cell mutagenicity** No information available.

Chemical name	European Union
pentane	Muta. 1B

**Carcinogenicity** No information available.

Chemical name	European Union
pentane	Carc. 1A

**Reproductive toxicity** No information available.

**STOT - single exposure** May cause drowsiness or dizziness.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

#### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting properties****Endocrine disrupting properties** No information available.**11.2.2. Other information****Other adverse effects** No information available.**SECTION 12: Ecological information****12.1. Toxicity****Ecotoxicity** Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
pentane	-	LC50: =9.87mg/L (96h, Oncorhynchus mykiss) LC50: =11.59mg/L (96h, Pimephales promelas) LC50: =9.99mg/L (96h, Lepomis macrochirus)	-	EC50: =9.74mg/L (48h, Daphnia magna)
Propan-2-ol	EC50: >1000mg/L (96h, Desmodesmus subspicatus) EC50: >1000mg/L (72h, Desmodesmus subspicatus)	LC50: =9640mg/L (96h, Pimephales promelas) LC50: =11130mg/L (96h, Pimephales promelas) LC50: >140000µg/L (96h, Lepomis macrochirus)	-	EC50: =13299mg/L (48h, Daphnia magna)
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	EC50: >30mg/L (72h, Desmodesmus subspicatus)	LC50: >100mg/L (96h, Lepomis macrochirus)	-	-
Benzotriazole	EC50: =15.4mg/L (96h, freshwater algae)	LC50: =39mg/L (96h, Oncorhynchus mykiss)	-	EC50: =141.6mg/L (48h, water flea)
Diphenylamine	EC50: =1.5mg/L (72h, Scenedesmus subspicatus)	LC50: 3.47 - 4.14mg/L (96h, Pimephales promelas)	-	EC50: 1.69 - 2.46mg/L (48h, Daphnia magna)

**12.2. Persistence and degradability****Persistence and degradability** No information available.**12.3. Bioaccumulative potential****Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
pentane	3.45
Propan-2-ol	0.05
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	>6
Diphenylamine	3.4

**12.4. Mobility in soil****Mobility in soil** No information available.**12.5. Results of PBT and vPvB assessment****PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
pentane	The substance is not PBT / vPvB
Propan-2-ol	The substance is not PBT / vPvB
Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate	The substance is not PBT / vPvB
Benzotriazole	The substance is not PBT / vPvB

### 12.6. Endocrine disrupting properties

**Endocrine disrupting properties** No information available.

### 12.7. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## SECTION 14: Transport information

### IATA

- 14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user

### IMDG

- 14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user  
 EmS-No F-D, S-U  
 14.7 Maritime transport in bulk according to IMO instruments No information available

### RID

- 14.1 UN number or ID number UN1950  
 14.2 UN proper shipping name AEROSOLS, FLAMMABLE  
 14.3 Transport hazard class(es) 2.1  
 14.4 Packing group None  
 14.5 Environmental hazards Yes  
 14.6 Special precautions for user

### ADR

14.1 UN number or ID number	UN1950
14.2 UN proper shipping name	AEROSOLS, FLAMMABLE
14.3 Transport hazard class(es)	2.1
14.4 Packing group	None
14.5 Environmental hazards	Yes
14.6 Special precautions for user	
Tunnel restriction code	(D)

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name	French RG number
pentane - 109-66-0	RG 84
Propan-2-ol - 67-63-0	RG 84
Diphenylamine - 122-39-4	RG 15, RG 15bis

**Water hazard class (WGK)** obviously hazardous to water (WGK 2)

### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Propan-2-ol - 67-63-0	Use restricted. See item 75.	-
Diphenylamine - 122-39-4	Use restricted. See item 75.	-

### Persistent Organic Pollutants

Not applicable

Chemical name	European Export/Import Restrictions per (EC) 649/2012 - Annex Number
Diphenylamine - 122-39-4	I.1 I.2

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Carbon Dioxide - 124-38-9	Plant protection agent

Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)
Carbon Dioxide - 124-38-9	Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 14: Rodenticides Product-type 15: Avicides Product-type 18: Insecticides, acaricides and products to control other arthropods Simplified procedure - Category 6
Propan-2-ol - 67-63-0	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 1: Human hygiene

**International Inventories**

<b>TSCA</b>	Contact supplier for inventory compliance status
<b>DSL/NDSL</b>	Contact supplier for inventory compliance status
<b>EINECS/ELINCS</b>	Contact supplier for inventory compliance status
<b>ENCS</b>	Contact supplier for inventory compliance status
<b>IECSC</b>	Contact supplier for inventory compliance status
<b>KECL</b>	Contact supplier for inventory compliance status
<b>PICCS</b>	Contact supplier for inventory compliance status
<b>AIIC</b>	Contact supplier for inventory compliance status
<b>NZIoC</b>	Contact supplier for inventory compliance status

**Legend:**

<b>TSCA</b>	- United States Toxic Substances Control Act Section 8(b) Inventory
<b>DSL/NDSL</b>	- Canadian Domestic Substances List/Non-Domestic Substances List
<b>EINECS/ELINCS</b>	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
<b>ENCS</b>	- Japan Existing and New Chemical Substances
<b>IECSC</b>	- China Inventory of Existing Chemical Substances
<b>KECL</b>	- Korean Existing and Evaluated Chemical Substances
<b>PICCS</b>	- Philippines Inventory of Chemicals and Chemical Substances
<b>AIIC</b>	- Australian Inventory of Industrial Chemicals
<b>NZIoC</b>	- New Zealand Inventory of Chemicals

**15.2. Chemical safety assessment**

**Chemical Safety Report** No information available

**SECTION 16: Other information****Key or legend to abbreviations and acronyms used in the safety data sheet****Full text of H-Statements referred to under section 3**

H225 - Highly flammable liquid and vapour  
H280 - Contains gas under pressure; may explode if heated  
H301 - Toxic if swallowed  
H302 - Harmful if swallowed  
H304 - May be fatal if swallowed and enters airways  
H311 - Toxic in contact with skin  
H319 - Causes serious eye irritation  
H331 - Toxic if inhaled  
H336 - May cause drowsiness or dizziness  
H373 - May cause damage to organs through prolonged or repeated exposure  
H400 - Very toxic to aquatic life  
H410 - Very toxic to aquatic life with long lasting effects  
H411 - Toxic to aquatic life with long lasting effects

**Legend**

SVHC: Substances of Very High Concern for Authorisation:

**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
+	Sensitisers		

Classification procedure

Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method
Flammable aerosol	On basis of test data

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC)  
 European Chemicals Agency (ECHA) (ECHA\_API)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
 Organisation for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Revision date 15/06/2023

#### Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

##### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**